



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/678,018	10/02/2003	James D. Kovacik	16527	9233

4859 7590 12/06/2004

MACMILLAN SOBANSKI & TODD, LLC
ONE MARITIME PLAZA FOURTH FLOOR
720 WATER STREET
TOLEDO, OH 43604-1619

EXAMINER


LE, MARK T

ART UNIT	PAPER NUMBER
----------	--------------

3617

DATE MAILED: 12/06/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/678,018	Applicant(s) KOVACIK ET AL.	
	Examiner Mark T. Le	Art Unit 3617	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10-27-04.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 21-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 21-38 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This communication is responsive to the amendments filed on October 27, 2004. Applicant's amendments and remarks have been carefully considered.
2. Claims 21-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over European reference 185 932 in view of Dubay (US 4,721,833).

The European reference discloses a cord storage reel similar to that recited in the instant claims, including unitary frame 2 provided with U-shaped base portion 3, handle portion 5 and mounting axle 4, spool 9, electrical outlet 11, switch and circuit breaker 12, and knob 7; wherein the unitary frame is inherently capable of supporting the reel in at least two positions as claimed.

Regarding the instant claimed structure of the spool, consider the spool construction of Dubay. In view of Dubay, it would have been obvious to one skilled in the art to construct the spool of the cord storage reel of the European reference to include separable hub and front and rear flanges, in a manner similar to that taught by Dubay, so as to achieve expected advantages thereof, such as enhanced conveniences in servicing components of and inside the spool.

Regarding the instant claimed metal, plastic and/or tube stock materials used to make the components of the storage reel, it is the examiner's position that it would have been obvious to one skilled in the art to use any commercially available material, such as metal, plastic and/or tube stock material, for making the components of the structure of the European reference so as to achieve expected advantages thereof, such as low

cost, light weight, high strength, and/or greater availability of the material and the equipment that is used for making the structure.

Regarding the instant claimed external ribs and threaded fasteners, recited in instant claim 32, consider threaded fasteners 39 of Dubay, which engage the external bands (ribs) around hub 28 of Dubay, and that such structures of Dubay form parts of the structure of the European reference, as modified.

3. Claims 36-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over European reference 185 932 in view of Dubay (US 4,721,833) and Cho (US 6,651,943).

The European reference and Dubay are applied above.

Regarding the instant claimed foot pads, it is noted that the use of footpads on support framings is well known. Note for example footpad 15a of Cho. Therefore, it would have been obvious to one skilled in the art to provide a well known type of foot pads on the support framing of the European reference so as to prevent undesired displacements of the cord storage reel.

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mark T. Le whose telephone number is 703-308-3663. The examiner can normally be reached on Mon-Fri (8:00-5:00).

Art Unit: 3617

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samuel Morano can be reached on 703-308-0230. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Mark T. Le
Primary Examiner
Art Unit 3617

mle
12/01/04